

(+48) 32 453 91 70
 □ info@pol-eko.com.pl
 ⊕ www.pol-eko.com.pl

Data sheet

FEKO+ /ML



The photo above is for reference only, may show additional options not included in standard equipment. The real appearance, particularly color and structure of the material may differ from the ones presented in the photo.

FEKO+ station collects municipal and industrial sewage, sludges from home sewage treatment plants and fats delivered by slurry tanker. The station identifies carriers, suppliers of wastewater, as well as measures and controls parameters (pH, temperature, conductivity, density) and the amount of delivered wastewater.


Stainless steel external control cabinet equipped with:

- 7" or 10" colour LCD touch screen*
- control system with data archiving and the ability to create a database
- software based on the Windows Embedded
- internal memory (town, address)
- Ethernet or Wi-Fi communication module*
- USB input for data transfer and manual station programming
- MODBUS RTU/TCP or Profibus communication protocol*
- carrier identification module RFiD key rings
- module identifying the type of wastewater
- modular printer with paper cutter
- industrial keyboard (made of stainless steel)





overall dims [mm]	
Width A	2400
Height B	2600
Depth C	2400



The FEKO+ waste water receipt station is a multifunctional device for collecting municipal and industrial wastewater, The device identifies carriers, wastewater suppliers, and also measures and controls the parameters (pH, temperature) and quantity of the delivered wastewater. It is possible to block the admission of wastewater in which measurement transducers have detected exceedances (e.g. pH) established in the FEKO+ programme dedicated to the catchment station.

The FEKO+ station provides:

- acceptance of wastewater
- adjustment of station operating parameters
- creation of a database, i.e. contractors and dictionaries with a list of towns and streets
- Measurement of the volume of delivered wastewater
- measurement of contaminant concentration
- recording of delivery data with the option of transferring them to a memory stick
- supervision of suppliers
- possibility to export data to *.pdf, *.xls, *.doc, *.html files.

Functional principle of the FEKO+ station

The station is a fully automated facility which does not require constant attendance by the operator. The station is operated by software for data reading, programming and archiving, based on the Windows Embedded operating system. Only periodic maintenance is required.

- filling station (control system with carrier identification module, flow meter, drain line, measuring vessel, identifiers)
- pneumatic gate valve, compressor, reinforced connection hose 3m
- contamination measurement set based on Memosens system
- All installed in a container

FEKO+ software

The FEKO+ software is an application which is an integral part of the FEKO+ Station, the programme enables the remote control of the FEKO+ Station, the generation of reports on the basis of transmitted data from the FEKO+ Station, parameterisation of the station, invoicing, and many other functions necessary for operating the device.

The application enables, among other things

• remote software update

 Bank: ING BŚ o/Wodzisław Śląski
 Nr rachunku: 90 1050 1403 1000 0022 0879 5498
 Nr rej. w BD0 000005609

 NIP: 647-216-26-87
 REGON: 276111984
 Sąd Rejonowy w Gliwicach, X Wydział Gospodarczy
 KRS 0001009595



- creation of a database of properties with septic tanks with the possibility of grouping them into housing estates or localities
- scheduling inspections of transporters
- issuing invoices and creating sales registers
- statistical data analysis with the function of generating automatic discrepancy reports, e.g. of properties from which less/more wastewater was delivered than assumed

OPTIONS AND ACCESSORIES



Order number: FEKO/PH	pH and temperature measurement kit
Order number: FEKO/RX	Redox and temperature measurement kit
Order number: FEKO/COND	Conductivity measurement kit
Order number: FEKO/TSS	Sludge concentration measurement kit
Order number: FEKO/CHZT	COD measurement kit
Order number: SC 600	External stone catcher
Order number: SC 500	Internal stone catcher
Order number: PP 2002+E	Stationary sampler outdoor
Order number: PP 2002+E	Stationary sampler mounted inside
Order number: FEKO/ROZDRABNIACZ	Macerator milling cutter
Order number: FEKO/POMPA	Rotary pump
Order number: FEKO/FERROX	Odor neutralization system
Order number: FEKO/CCTV	CCTV monitoring
Order number: FEKO/BRAMA	Gate control



(+48) 32 453 91 70 🖂 info@pol-eko.com.pl www.pol-eko.com.pl

10" \bigcirc

DN 125 с 88 Order number: FEKO/10" 10" control panel Order number: FEKO+/DN125 Drain line DN125 Order number: FEKO VIEWER Order number: FEKO/WIFI

Order number: FEKOx2

FEKO Viewer software

Multi station construction

Multi-station

