

(+48) 32 453 91 70

info@pol-eko.com.pl

in

www.pol-eko.com.pl

POL-EKO A.Polok-Kowalska sp.k. 44-300 Wodzisław Śląski ul. Kokoszycka 172 C

Data sheet

Drying Oven SLW 115 SIMPLE



The photo above is for reference only, may show additional options not included in standard equipment. The real appearance, particularly color and structure of the material may differ from the ones presented in the photo.








⟨ (+48) 32 453 91 70⋈ info@pol-eko.com.plwww.pol-eko.com.pl

POL-EKO A.Polok-Kowalska sp.k. 44-300 Wodzisław Śląski ul. Kokoszycka 172 C

1 84 SLW 115 SIMPLE type **TECHNICAL DATA** air convection forced 109 chamber capacity [I] 109 working capacity [I] controller microprocessor with external display LCD display **TEMPERATURE** temperature range [°C] 5°C above ambient temperature ... +250°C temperature resolution every ... [°C]0,1 temperature fluctuation at 105°C [+/-°C]* 0,3 temperature variation at 105°C [+/-°C]* 1,5 temperature protection class 1.0 to DIN 12880 **CHAMBER** door type solid interior stainless steel to DIN 1.4016 powder coated sheet housing

overall dims [mm] /1/

width A	720
height B	730
depth C	710
internal dims [mm]	
width D	460
height E	540
depth F	440



shelves (standard max)	2 7
max shelf workload [kg] /2/	10
max unit workload [kg]	60
weight [kg]	64



(+48) 32 453 91 70info@pol-eko.com.plwww.pol-eko.com.pl

POL-EKO A.Polok-Kowalska sp.k. 44-300 Wodzisław Śląski ul. Kokoszycka 172 C

voltage**	230V 50-60Hz
nominal power [W]	2500
warranty	24 months
manufacturer	POL-EKO
txt_opis_pt	all the above technical data refer to standard units (without optional accessories) \ast - fluctuation measured in centre of the chamber; in space, variation (K) calculated for chamber as: $K = +/- (T \text{ average max.} - T \text{ average min.}) / 2$ $\ast^\ast - \text{ other power supplies on request}$ $1 - \text{ depth doesn't include 50 mm of power cable, the width does not include the 20 mm of rubber plug}$
PL typ urządzenia	Drying Oven
img_photo	SLW-115-SIMPLE
The photo above is for reference only, may show additional options not included in standard equipment. The real appearance, particularly color and structure of the material may differ from the ones presented in the photo.	The photo above is for reference only, may show additional options not included in standard equipment. The real appearance, particularly color and structure of the material may differ from the ones presented in the photo.
nazwa www pl	Suszarka Laboratoryjna SLW 115 SIMPLE
nazwa www EN	Drying Oven SLW SIMPLE 115
nazwa www ES	Estufa de Secado SLW 115 SIMPLE
ekran_grafika	simple
	Suszarki Simple
0	1

all the above technical data refer to standard units (without optional accessories)

K = +/- (T average max. - T average min.) / 2

OPTIONS AND ACCESSORIES



Order number: */P INOX Stainless steel wire shelf INOX



Order number: */PP Perforated shelf



Order number: BRT/*/L or IQ/OQ/PQ Calibration and IQ, OQ, PQ qualification



^{* -} fluctuation measured in centre of the chamber; in space, variation (K) calculated for chamber as:

^{** -} other power supplies on request

^{1 -} depth doesn't include 50 mm of power cable, the width does not include the 20 mm of rubber plug